



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

NAME: GW-9761 High Speed Parallel Winding Machine



SPECIFICATION:

Spindles	1	Spread Motor	4-Phase stepping Motor
Wire diameter	0.02-0.8mm	Max Speed	6000rpm
Spread Pitch	0-9.999mm	Memory	999 Sequences
Spread Width	100mm (Max)	Power Source	AC 220V/110V±10%,50/60MHZ
Winding Width	150mm (Max)	Weight	45×67×10
Main Motor	1/2HP DC Motor	Dimension	45

FEATURES:

High Speed Parallel Winding Machine has microprocessor design ,easy for program-setting handing.

Wire guiding traverse shaft stepper motor with a constant-current driver offering fast wire guiding speed.

input the 'Start Point'parameter by number key or teachable function ,and display the position of spreading head on the panel.

The wire of the High Speed Parallel Winding Machine runs though the nozzle of spreading head to arrange in order better.

The ceramic rollers for High Speed Parallel Winding Machine prevent enamel from high temperature.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

ADVANTAGES:

The wireline shaft is driven by a stepping motor with a constant current circuit, with fast wireline speed and high precision.

The position of the winding point can be inputted by teaching, and the current position of the spool can be displayed.

High Speed Parallel Winding Machine adopts multi - wire rows, four different diameters can be installed at the same time.

Single machine can finish winding and insulation, acetic acid tape winding.

It can be replaced to make double axis synchronous winding machine.

APPLICATION:

Typical applications for high torsion parallel spindle winding Machine with a single wire size, include the manufacture of gas ignition coils, solenoids, relays, motors and many forms of sensor coil in small and medium batch quantities. It is ideal for use in the production of small inductors, particularly bobbins wound with a single wire size and high turns count. The high maximum winding spindle speed (up to 6000 rpm) enables coils with a high turns count to be wound in a short cycle time.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp




WeChat

PRACTICAL APPLICATION :

TRAINING CUSTOMER TO OPERATE WINDING MACHNE :

- 1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breackdown problem.
- 2.Guide the user to use accurately and how to maintain the High Speed Parallel Winding Machine.
Provide free consultation about production process technology of electronic products.
- 3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English manual, video, guiding on line.



WhatsApp:+86 18622096679
Web: www.coilwindingmachinechina.com

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp




WeChat

PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

1.General package(Paper carton or plastic bag): For small equipped parts for High Speed Parallel Winding Machine , Package it with form and pack paper to guarantee unbroken during the transport.

2.Wooden case package: For larger scale High Speed Parallel Winding Machine,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

OPTIONAL ACCESSORIES

NO.	Item/Specification	QUANTITY	UNIT
1	controller	1	PIECE
2	winding motor	1	PIECE
3	Spread motor	1	PIECE
4	optical fiber sensor	1	PIECE
5	B2-2.0 Inches shuttle	1	PIECE
6	4 inches and 6 inches shuttle (base on machine model)	1	PIECE
7	shuttle guide wheel	1	PIECE
8	fixture head	1	PIECE
9	green round belt (can send one free in orange)	1	M
10	gear shape belt	1	Belt

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015, CE approvals,Machines'Patents,"high-tech enterprises"by the government.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.